


Technical drawing of a staircase section, labeled D-4. The drawing shows a staircase with a total width of 2500 mm and a total height of 1500 mm. The staircase is divided into three sections: a bottom section with a width of 900 mm and a height of 600 mm, a middle section with a width of 900 mm and a height of 900 mm, and a top section with a width of 700 mm and a height of 600 mm. The staircase is supported by a concrete structure. The drawing includes a section line labeled D-4 and a scale of 1:50.

Technical drawing showing a cross-section of a foundation and wall assembly. The drawing includes dimensions and material specifications:

- Foundation:** Concrete (Betons C16/20) with a width of 900mm, divided into three 300mm sections. The foundation is embedded in a concrete slab (Blietētas šķembas fr 20/40, b=150) with a depth of 150mm.
- Wall:** Brick (Blietēta smiltis b=950) with a total height of 1300mm. The wall is reinforced with steel reinforcement (Stiegru siets 8x100x100) and has a thickness of 250mm.
- Reinforcement:** Steel reinforcement (Stiegru siets 8x100x100) is shown in the foundation and wall. The reinforcement is spaced at 150mm.
- Dimensions:**
 - Foundation width: 900mm (300mm + 300mm + 300mm).
 - Foundation depth: 150mm.
 - Wall height: 1300mm (600mm + 700mm).
 - Wall thickness: 250mm.
 - Reinforcement spacing: 150mm.
- Levels:** The drawing shows the ground level (+0.00) and the foundation level (-1.45).
- Notes:**
 - kāpņu atbalsta siena b=250mm, apakšas atzīme -2.00 kāpņu augšējā laukumā.
 - Stiegru siets 2x10x200200.

1. Visas lāpas skatīt kopā ar pārējo projektu un paskaidrojuma rakstu.
2. Izmēri uzrādīt milimetros, augstuma atzīmes metros, ja nav norādīta cita mērvienība.
3. Visus jaunus materiālus izvēlēties, bet esošos neatbilstošos apstrādāt atbilstoši LBN 201-15; Būvniecības likuma 9. pants un LBN 208-15 normatīvu prasībām.
4. Darbus veikt sertificētu meistarų uzraudzībā. Meistari atbilstoši darbu specifikai - jumīķi, elektriķi, galdnieki utt.
5. Detalizētus margu risinājumus izstrādāt izgatavotājam, gabarītizmērus pārbaudīt uz būves pirms margu izgatavošanas.
6. Jauno kāpņu ± 0.00 atzīme vienāda ar esošo kāpņu augšas atzīmi.

Pasūtītājs: Pāvilostas novada pašvaldība Reģ. Nr. 90000059438			03/16-350 2016. g.			
Amats	Uzvārds	Paraksts	Vērgales kultūras nams - pagastmāja kad. apz. 6496 004 0095 001 (bijušās Vērgales muižas klēts) vienkāršota fasādes atjaunošana zemesgabalā "Pagasta valde un skola", Vērgales pagasts, Pāvilostas novads			
Proj. vad.	R. Jakušonoks					
Arhitekts	A. Siliņa					
Būvtehn.	R. Kalniņš					
			Būvkonstrukcijas	Stadija	Lapa	Mērogs
				BP	BK-3	M 1:50; 1:25
			Kāpņu pie ieejas D-4 risinājums		A/S "Būvmeistars" Grobiņa, Lielā iela 28 buvmeistars.as@inbox.lv	